

FOURTH SEMESTER (CUCBCSS—UG) DEGREE EXAMINATION, APRIL 2020

Mathematics

MAT 4C 04—MATHEMATICS

Time : Three Hours

Maximum : 80 Marks

Part A

*Answer all the twelve questions.**Each question carries 1 mark.*

1. Write Euler-Cauchy equation.
2. State the first shifting theorem for Laplace transforms.
3. Define odd function. Give an example.
4. What do you mean by a periodic function ? Give an example.
5. Find $L(t + e^t)$.
6. Find $L^{-1}\left(\frac{s}{s^2 - a^2}\right)$.
7. If $L(f(t))$ and $f'(t)$ exists, find $L(f'(t))$.
8. Define Half range Fourier sine series.
9. Write one dimensional wave equation.
10. Write the characteristic equation of the equation $y'' + 10y' + 29y = 0$.
11. Write the error estimate the Trapezoidal rule.
12. Find the Wronskian of y_1, y_2 where $y_1 = \cos x, y_2 = \sin x$.

(12 × 1 = 12 marks)

Turn over

Part B

Answer any **nine** questions.
Each question carries 2 marks.

13. Solve $y'' + y = 0$, $y(0) = 3$, $y(\pi) = -3$.
14. Find a basis of solutions for $x^2 y'' - xy' + y = 0$.
15. Solve $(D^2 + w^2)y = 0$.
16. Solve $x^2 y'' - 2.5xy' - 2y = 0$.
17. Find a particular solution of $y'' - 3y' - 4y = -8e^t \cos 2t$.
18. Show that Laplace transform is a linear operator.
19. Find the Laplace transform of $\sinh at$.
20. Find $L^{-1}\left(\frac{1}{(s-1)^4}\right)$.
21. Find $L\left(\frac{1-e^t}{t}\right)$.
22. Find the Fourier series of $f(x) = x - x^2$, $-\pi < x < \pi$, $f(x+2\pi) = f(x)$.
23. A town wants to drain and fill a small polluted swamp. The swamp averages 5 feet deep. About how many cubic yards of dirt will it take to fill the area after the swamp is drained.
24. Show that the function $y = e^x \cos y$ is a solution of the two dimensional Laplace equation

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0.$$

(9 × 2 = 18 marks)

Part C

Answer any **six** questions.
Each question carries 5 marks.

25. Solve the non-homogeneous equation :

$$y'' - y' - 2y = 10 \cos x.$$

26. Solve the differential equation :

$$(D^2 + 4D + 4)y = \frac{e^{-2x}}{x^2}.$$

27. Find the inverse transform of $\frac{1}{s(s+1)(s+2)}$.

28. Find $L(t \sin at)$.

29. Solve :

$$y(t) = t^3 + \int_0^1 \sin(t-u) y(u) du.$$

30. Find the Fourier series for $f(x) = |x|$ is $[-\pi, \pi]$ with $f(x+2\pi) = f(x)$.

31. Find the approximate solution to $y' = 1 + y^2$, $y(0) = 0$.

32. Compare the values of $\int_0^1 x dx$ obtained by using Trapezoidal and Simpson's rule.

33. Given $y' = -y$, $y(0) = 1$. Find the value of y' at x , $x = (0.01)(0.01)(0.04)$ by improved Euler method.

(6 × 5 = 30 marks)

Turn over

Part D

Answer any **two** questions.

Each question carries 10 marks.

34. Solve : $x^2 y'' - x y' + 2y = (3x^2 - 6x + 6)e^x$

$$y(1) = 2 + 3e \quad y'(1) = 30.$$

35. Find the inverse transform of $\frac{1}{s^2} \left(\frac{s+1}{s^2+9} \right)$.

36. Find the Fourier series of $f(x) = x^2$ in $[-\pi, \pi]$ with $f(x+2\pi) = f(x)$.

Hence deduce that $1 - \frac{1}{2^2} + \frac{1}{3^2} - \frac{1}{4^2} \dots = \frac{\pi^2}{12}$.

(2 × 10 = 20 marks)